


Danger Level 4 - High



Treeline

Tendency: Constant avalanche danger →
on Saturday 15 03 2025



New snow



Treeline

Snowpack stability: **very poor**Frequency: **many**Avalanche size: **very large**

Wind slab



Treeline

Snowpack stability: **very poor**Frequency: **many**Avalanche size: **very large**

New snow



Treeline

Snowpack stability: **poor**Frequency: **some**Avalanche size: **large**

A lot more new snow than expected: Up to 80 cm of snow has fallen. In these regions the avalanche danger is high (level 4). The conditions are very dangerous for backcountry touring.

As a consequence of the heavy snowfall more natural avalanches are possible at any time, even very large ones. The avalanche prone locations are widespread and are barely recognisable because of the poor visibility. Avalanches can be released in deep layers of the snowpack. Avalanches can in many places be released by small loads.

Snowpack

The large quantity of fresh snow as well as the wind slabs formed by the sometimes strong wind remain very prone to triggering.

Weak layers exist in the snowpack.

Tendency

Over a wide area intensive precipitation. The wind will be moderate at times.

We recommend that you consult the most recent avalanche bulletin.




Danger Level 3 - Considerable



Treeline

Tendency: Constant avalanche danger
on Saturday 15 03 2025



New snow



Treeline

Snowpack stability: **poor**Frequency: **some**Avalanche size: **large**

Wind slab



Treeline

Snowpack stability: **poor**Frequency: **some**Avalanche size: **large**

New snow



Treeline

Snowpack stability: **fair**Frequency: **some**Avalanche size: **medium**

Over a wide area wind and new snow.

In the regions exposed to heavier precipitation the avalanche prone locations are more prevalent.

The new snow and wind slabs must be evaluated with care and prudence. In particular in the regions exposed to heavier precipitation large to very large avalanches are possible. The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. They are numerous and are barely recognisable because of the poor visibility. Avalanches can be released in deep layers of the snowpack.

The avalanches can be released by small loads.

Snowpack

As a consequence of new snow and wind, further wind slabs formed. The wind slabs have bonded poorly with the old snowpack.

Weak layers exist in the snowpack.

Tendency

Over a wide area intensive precipitation. The wind will be moderate at times.

We recommend that you consult the most recent avalanche bulletin.

